

Fill out this medical information card with the contact information of your/your child's doctor. Keep it with you, or have your child keep it on them, while on BLINCYTO® (blinatumomab) treatment.



Fold

| | |
|--|--|
| <p>About me:</p> <p>_____</p> <p>Name</p> <p>_____</p> <p>Phone</p> <p>My parent or caregiver:</p> <p>_____</p> <p>Name</p> <p>_____</p> <p>Phone</p> | <p>Learn more at www.BLINCYTO.com</p> <p>_____</p> <p>Phone</p> <p>_____</p> <p>Name</p> <p>_____</p> <p>About my doctor:</p> |
| <p>AMGEN</p> <p>BLINCYTO® is a registered trademark of Amgen Inc. © 2023 Amgen Inc. All rights reserved. USA-103-81354 07/23</p> <p>There is also information on some possible side effects.</p> <p>Fill out this medical information card. You can keep your important health care contact information in one place here.</p> <p>_____</p> <p>Patient is receiving BLINCYTO® (blinatumomab) for the treatment:</p> <p>Medical information card</p> | <p>Cytokine release syndrome and infusion reactions</p> <p>Symptoms may include:</p> <ul style="list-style-type: none"> • Fever • Tiredness or weakness • Dizziness • Headache • Low blood pressure • Nausea <p>Neurologic problems</p> <p>Symptoms may include:</p> <ul style="list-style-type: none"> • Seizures • Difficulty in speaking or slurred speech • Loss of consciousness • Trouble sleeping • Confusion or disorientation • Loss of balance • Headache • Difficulty with facial movements, hearing, vision, or swallowing <p>Cytokine release syndrome and infusion reactions</p> <p>Symptoms may include:</p> <ul style="list-style-type: none"> • Vomiting • Chills • Face swelling • Wheezing or trouble breathing • Skin rash |
| <p>WHAT IS BLINCYTO® (blinatumomab)?</p> <p>BLINCYTO® is a prescription medicine used to treat adults and children with:</p> <ul style="list-style-type: none"> • B-cell precursor acute lymphoblastic leukemia (ALL) in remission when only a small number of cancer cells remain in the body (minimal residual disease) • B-cell precursor ALL that has come back or did not respond to previous treatments <p>ALL is a cancer of the blood in which a particular kind of white blood cell is growing out of control.</p> <p>BLINCYTO® (blinatumomab)^{for injection} 30 mg single-dose vial</p> | <p>IMPORTANT NOTE FOR HEALTH CARE PROFESSIONALS:</p> <p>Do not flush the BLINCYTO® (blinatumomab) infusion line or intravenous catheter, especially when changing infusion bags. Flushing when changing bags or at completion of infusion can result in excess dosage and cause complications. When administering via a multi-lumen venous catheter, infuse BLINCYTO® (blinatumomab) through a dedicated lumen.</p> <p>Please contact your prescribing provider with any questions that BLINCYTO® (blinatumomab) may cause serious side effects that can be severe, life-threatening, or fatal, including:</p> |

Fold

Fold

Please contact your prescribing provider with any questions.

Please see BLINCYTO® [full Prescribing Information](#), including BOXED WARNINGS and Medication Guide.