

Fill out this medical information card with the contact information of your/your child's doctor. Keep it with you, or have your child keep it on them, while on BLINCYTO® treatment.



Fold

| | |
|--|---|
| <p>About me:</p> <p>_____</p> <p>Name</p> <p>_____</p> <p>Phone</p> <p>My parent or caregiver:</p> <p>_____</p> <p>Name</p> <p>_____</p> <p>Phone</p> | <p>Learn more at www.BLINCYTO.com</p> <p>_____</p> <p>Phone</p> <p>_____</p> <p>Name</p> <p>_____</p> <p>About my doctor:</p> |
| <p>AMGEN</p> <p>BLINCYTO® is a registered trademark of Amgen Inc. © 2022 Amgen Inc. All rights reserved. USA-103-81059 01/22</p> <p>There is also information on some possible side effects.</p> <p>Fill out this medical information card. You can keep your important health care contact information in one place here.</p> <p>_____</p> <p>Patient is receiving BLINCYTO® for the treatment:</p> <p>Medical information card</p> | <p>Cytokine release syndrome and infusion reactions</p> <p>Symptoms may include:</p> <ul style="list-style-type: none"> • Fever • Tiredness or weakness • Dizziness • Headache • Low blood pressure • Nausea <p>Neurologic problems</p> <p>Symptoms may include:</p> <ul style="list-style-type: none"> • Seizures • Difficulty in speaking or slurred speech • Loss of consciousness • Trouble sleeping • Confusion or disorientation • Loss of balance • Headache • Difficulty with facial movements, hearing, vision, or swallowing <p>Vomiting</p> <ul style="list-style-type: none"> • Vomiting • Chills • Face swelling • Wheezing or trouble breathing • Skin rash |
| <p>INDICATIONS</p> <p>BLINCYTO® (blinatumomab) is a prescription medicine used to treat B-cell precursor acute lymphoblastic leukemia (ALL) in patients who still have detectable traces of cancer after chemotherapy.</p> <p>The approval of BLINCYTO® in these patients is based on a study that measured response rate and duration of response. There are ongoing studies to confirm clinical benefit.</p> <p>BLINCYTO® is a prescription medication used to treat a certain type of acute lymphoblastic leukemia (ALL) in adults and children. ALL is a cancer of the blood and bone marrow in which a particular kind of white blood cell is replicating out of control.</p> <p>BLINCYTO (blinatumomab)^{for injection} 30 mg single-dose vial</p> | <p>IMPORTANT NOTE FOR HEALTH CARE PROFESSIONALS:</p> <p>Do not flush the BLINCYTO® infusion line or intravenous catheter, especially when changing infusion bags. Flushing when changing bags or at completion of infusion can result in excess dosage and cause complications. When administering via a multi-lumen venous catheter, infuse BLINCYTO® through a dedicated lumen.</p> <p>Please contact your prescribing provider with any questions.</p> <p>BLINCYTO® may cause serious side effects that can be severe, life-threatening, or fatal, including:</p> |

Fold

Fold

Please contact your prescribing provider with any questions.

Please [click here](#) for Prescribing Information and the Medication Guide.

Please contact your prescribing provider with any questions. Please [click here](#) for Prescribing Information and the Medication Guide.

| | |
|---|--|
| <p>IMPORTANT NOTE FOR HEALTH CARE PROFESSIONALS:</p> <p>Do not flush the BLINCYTO® infusion line or intravenous catheter, especially when changing infusion bags. Flushing when changing bags or at completion of infusion can result in excess dosage and cause complications. When administering via a multi-lumen venous catheter, infuse BLINCYTO® through a dedicated lumen.</p> <p>Please contact your prescribing provider with any questions</p> <hr/> <p>BLINCYTO® may cause serious side effects that can be severe, life-threatening, or fatal, including:</p> | <p>INDICATIONS</p> <p>BLINCYTO® (blinatumomab) is a prescription medicine used to treat B-cell precursor acute lymphoblastic leukemia (ALL) in patients who still have detectable traces of cancer after chemotherapy. The approval of BLINCYTO® in these patients is based on a study that measured response rate and duration of response. There are ongoing studies to confirm clinical benefit.</p> <p>BLINCYTO® is a prescription medication used to treat a certain type of acute of cancer of the blood and bone marrow in which a particular kind of white blood cell is replicating out of control.</p> <p>BLINCYTO (blinatumomab) injection <small>do not mix and do not dilute</small></p> |
| <p>Cytokine release syndrome and infusion reactions Symptoms may include:</p> <ul style="list-style-type: none"> • Fever • Tiredness or weakness • Dizziness • Headache • Low blood pressure • Nausea • Vomiting • Chills • Face swelling • Wheezing or trouble breathing • Skin rash <p>Neurologic problems Symptoms may include:</p> <ul style="list-style-type: none"> • Seizures • Difficulty in speaking or slurred speech • Loss of consciousness • Trouble sleeping • Confusion or disorientation • Loss of balance • Headache • Difficulty with facial movements, hearing, vision, or swallowing | <p>Medical information card</p> <p>Patient is receiving BLINCYTO® for the treatment:</p> <hr/> <p>Fill out this medical information card. You can keep your important health care contact information in one place here.</p> <p>There is also information on some possible side effects.</p> <p>AMGEN®</p> <p>BLINCYTO® is a registered trademark of Amgen Inc. © 2022 Amgen Inc. All rights reserved. USA-103-81059 01/22</p> |
| <p>About my doctor:</p> <p>Name _____</p> <p>Phone _____</p> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Learn more at www.BLINCYTO.com</p> </div> | <p>About me:</p> <p>Name _____</p> <p>Phone _____</p> <p>My parent or caregiver:</p> <p>Name _____</p> <p>Phone _____</p> <p>_____</p> <p>_____</p> <p>Phone _____</p> |



Fold

Fold

Fold